



GENESTRA BRANDS®

NDC 62106-0601-0

Fungisode

HOMEOPATHIC PREPARATION

For the temporary relief of symptoms associated with minor fungal, viral, and bacterial infection.

Contains 76.6% Alcohol

1 fl oz (30 mL)

Drug Facts

Active ingredients

Each drop contains:

Arsenicum album (Arsenic trioxide) 4CH	Stuffy nose
Berberis vulgaris (Barberry) Bark 4CH	Mild Fever
Calcarea carbonica (Impure calcium carbonate from oyster shell) 8X	Mild Fever
Candida albicans 12X	Fungal infection
Carbo vegetabilis (Vegetable charcoal) 7CH	Chills
Chelidonium majus (Greater celandine) Rhizome and Root 4CH	Headache
Echinacea purpurea (Purple cone-flower) Aerial Parts 3X	Chills
Hepar sulphuris calcareum (Liver of sulfur) 5CH	Runny nose
Kreosotum (Creosote from beech tar) 5CH	Weakness

Purpose



Drug Facts (continued)

Lycopodium clavatum (Clubmoss) Spore 5CH	Congestion
Mercurius solubilis (Hahnemann's soluble mercury) 5CH	Mild fever →

Do not use if outer seal is missing or broken.

Contains: Shellfish

Exp.

Seroyal

Made in Belgium for
Seroyal USA
Pittsburgh, PA 15275
1-888-737-6925

V2 601-30U



ETL3774 06.17

Lot

Peel for more Drug Facts information

Drug Facts (continued)

Muriaticum acidum (Hydrochloric acid) 7CH	Headache
Nitricum acidum (Nitric acid) 5CH	Swollen glands
Oxalicum acidum (Oxalic acid) 8X	Chills
Sepia officinalis (Sepia) Dried Inky Secretion 5CH	Mild Fever
Sulphur (Sublimed sulfur) 4CH	Chills

X and CH are homeopathic dilutions:

see www.seroyal.com/homeopathics for details.

Uses For the temporary relief of symptoms associated with minor fungal, viral and bacterial infections.

Product 'Uses' are based on Homeopathic Materia Medica and are not supported by clinical trials. These 'Uses' have not been evaluated by the Food and Drug Administration.

Warnings

Stop use and ask a doctor if symptoms persist or worsen. →

Drug Facts (continued)

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- To be taken 20 minutes away from food.
- Place drops directly under the tongue or into ¼ oz of water.
- Adults and adolescents (12 years and older): Take 10 drops two to three times daily or as recommended by your healthcare practitioner.
- Children (under 12 years): Take under the direction of your healthcare practitioner.

Other information Store in a cool, dry place.

Inactive ingredients

Ethanol (beet), purified water